


ZX350e

Compact high brightness laser projector









- Bright XGA DuraCore laser projector 3700 lumens and IP6X certified
- Reduced power consumption for a long life span -DuraCore laser technology delivers 30,000 hours maintenance free laser light source
- Compact for easy installation 1.1x zoom, 360degree and portrait projection
- External power supply More reliability, portability and energy efficiency



The ZX350e is one of Optoma's most compact and hassle-free XGA DuraCore laser projectors to date. Designed for maintenance-free continuous operation, this 3700-lumen projector delivers powerful image performance with flexible installation features and extensive connectivity options in a sleek, compact form factor, up to 34% smaller than previous Optoma models.¹

An added benefit, the ZX350e features an external power supply offering more reliability, portability and energy efficiency.

Specifications

EAN: 5055387666375, Colour: White UPC: 796435 44 611 6, Colour: White

 Display/image
 DLP™

 Display technology
 DLP™

 Resolution
 XGA (1024x768)

 Brightness
 3,700 lumens

 Contrast ratio
 300,000:1

 Contrast ratio - dynamic
 2,000,000:1

 Native aspect ratio
 4:3

 Aspect ratio - compatible
 4:3,16:9

| Aspect fatio = Compatible | Aspect fatio = Compatible | Aspect fatio = Compatible | Aspect fatio = Aspect fat

Screen size 0.51m ~ 7.62m (20" ~ 300") diagonal

Lamp info
Light source type
Laser
LASER life 30,000 hours

 Optical

 Throw ratio
 1.94:1 ~ 2.16:1

 Projection distance (m)
 1m - 10m

 Zoom
 1.1

 Zoom type
 Manual

 Focal length (mm)
 21.85 ~ 24.01

Native offset

Connectivity

Connections Inputs 2 x HDMI 1.4a 3D support

Outputs 1 x Audio 3.5mm, 1 x USB-A power 1.5A

Control 1 x RS232

 General
 27dB

 Noise level (min)
 27dB

 Noise level (max)
 34dB

 PC compatibility
 FHD, UXGA, SXGA, WXGA, HD, XGA, SVGA, VGA, Mac

 2D compatibility
 NTSC M/J, 3.58MHz, 4.43MHz PAL B/D/G/H//M/N, 4,43MHz

 SECAM B/D/G/K/K1/L, 4.25/4.4MHz 480i/p, 576i/p,

720p(50/60Hz), 1080i(50/60Hz), 1080p(50/60Hz)

3D compatibility Yes (DLP 3D; PC frame sequential 120Hz 3D, Blu-ray DVD 3D)

Full 30

Security Security bar, Kensington Lock, Password protected interface

IP rating IP6X

OSD / display languages 25 languages: Arabic, Czech, Danish, Dutch, English, Farsi,
Finnish, French, German, Greek, Hungarjan, Indonesian, Italian

Finnish, French, German, Greek, Hungarian, Indonesian, Italian, Japanese, Norwegian, Polish, Portuguese, Romanian, Russian, Chinese (simplified), Spanish, Swedish, Chinese (traditional),

Turkish, Vietnamese

24/7 operation Yes **360° operation** Yes

 Speaker count
 1

 Watts per speaker
 15W

 In the box
 AC power cord Remote control

Remote control 1xCR2025 battery Basic user manual

Optional wireless models UHDCast Pro

Power

Power supply External power supply, 100V ~ 240V, 50-60Hz

 Power consumption (standby)
 <0.5W</td>

 Power consumption (min)
 88W

 Power consumption (max)
 139W

Weight and dimensions

 Dimensions (W x D x H) mm
 274 x 216 x 114

 Gross weight
 4.2 kg

 Net weight
 3 kg





